

U/037/001

Rio Algom Mining Corp.

P.O. Box 1269
Moab, Utah 84532

July 09, 1999

Telephone (435) 686-2215
Fax (435) 686-2337

Return Receipt Requested P 290 197 348

Mr. Tony Gallegos, Reclamation Engineer
State of Utah, Department of Natural Resources
Division of Oil, Gas and Mining
1594 West North Temple
Suite 1210
Salt lake City, Utah 84114-5801

Re: Notice to Plug and Abandon Wells Under the Control of the Division of Oil, Gas and Mining.

Dear Mr. Gallegos

Enclosed please find the following: 1) Proposed well closure procedure and, (2) a written description of the wells to be closed at this time.

At this time a total of 118 wells are scheduled for abandonment. The majority of the wells are dry. Most of the wells date back to the late 1960s and early 1970s.

The method selected is standard for the industry and all manufactures application recommendations will be followed. All work will be completed by on-site RAMC personnel.


Basically we intend to plug all wells, dry and wet, with the same procedure. In Short, we will fill the hole from the bottom to within seven (7) feet from the top with granular bentonite and then place a five (5) foot neat cement plug at the top. All wells will be completed two (2) feet under the existing surface elevation. (See the enclosed SOP for details.)

The wells in question only transect one aquifer, in the wet holes. All of these wells terminate in the Brushy Basin formation which provides a 400 to 600 foot thick aquiclude in this area. Cross contamination of aquifers will not be of concern.


We would like to start this project as soon as we have written approval from the Division and we procure the needed materials.

Thank you for your cooperation on this project. If you have any question please contact Frank Fossey at (435) 686-2217.

Sincerely,


Frank Fossey
Radiation Safety Officer
RAMC- Lisbon Operation

CC. P. Goranson OKC, W/attachment
L. Axtell
File



WR-01
Abandonment of Exploration Holes

REFERENCE

State of Utah Division of Oil, Gas and Mining. R649-3-24 Plugging and Abandonment of Wells.

General

The Rio Algom Mining Corp. Lisbon site is located approximately 4 Miles South of the town of La Sal, Utah. The facility was a Uranium mine and Milling Site, production closed down in early 1990. The process had two tailings ponds, approximately 50 acres each. There is no tilled farmland in the area of concern.

The geology consists of the Burro Canyon formation overlying the Brushy Basin formation. The top of the Brushy Basin formation is from 50 to 250 feet from the surface. The Brushy Basin formation provides a natural aquiclude therefore the only aquifer of concern is located in the Burro Canyon formation. This procedure also addresses sealing the wells from surface water contamination. This procedure deals with all exploration holes. This procedure will preclude the migration of the ground water to deeper depths.

NO ABANDONMENT WORK WILL BEGIN WITH OUT WRITTEN PERMISSION OF THE DIVISION OF OIL, GAS AND MINING.

Reclamation Procedure

Prior to the final abandonment the following information will be gathered:

I. Location and identification of holes.

- A) Locate and label holes in a manner which will withstand the elements.
- B) Characterize holes and determine the well depth, diameter, static water level and whether any casing has been installed.
- C) Characterized drill site.

II. Abandonment Procedure

A) Fill the hole from bottom to seven (7) feet from the top with a Bentonite based commercially produced product designed for permanent well abandonment. This material will consist of bentonite chips or pellets placed in accordance with the manufactures recommendations.

B) No saline water or toxic constituents will be used in make up water.

C) All casing material will be removed to a depth of at least two (2) feet below the existing ground elevation.

D) A five (5) foot cement plug will be placed above the bentonite plug, it will consist of neat cement slurry using API Class A Portland Cement and will be of sufficient weight, not less than 13.5 pounds per gallon. The cement will be placed using a tremie line or dumped onto the remaining hole. All test results documenting the weight of the cement and the amount used will be recorded on the field abandonment worksheet.

E) The finished holes will be back filled with compacted soil.

F) Any and all trash from the original drilling process or the abandonment process will be removed for proper disposal. Reseeding, if required, will be done in accordance with the approved BLM re-seeding plan.

G) The field abandonment worksheet will be completed and returned to the RSO on the day the well is completed.

H) A report of the well abandonment, including the field abandonment worksheet, will be submitted to the division of Oil, Gas and Mining within 30 days of the completion of this project.

<i>Lynn Kay</i>	<i>RSO</i>	<i>7-9-99</i>
Name	Title	Date

**RIO ALGOM MINING CORP.
FIELD ABANDONMENT WORKSHEET**

Date_____ Tech_____ Hole ID_____

Owner_____ Location(Coordinates) _____

Location: Section _____ Township _____ Range _____ County _____

Well Characterization

BOH _____ Diameter _____ in. Casing Type _____ Casing length _____

Wet/Dry (circle) SWL _____ ft

Bentonite Plug

Length of Plug _____ ft Type of Bentonite Plug _____

Sacks of Bentonite used _____ sxs Method of placement _____


Top Plug

Length of Plug _____ ft Density of Cement _____ lb/gal

Sacks of Cement used _____ sxs Mix Water _____ gal

Volume of Slurry _____ gal Method of Placement _____

Typical Well Abandonment
Under SOP WR-01



RIO ALGOM MINING CORP.-LISBON OPERATION
NOTICE OF INTENT TO ABANDON EXPLORATION HOLE

WELL DESIGNATION H-1

Location: Section 22 Township 29S Range 24E SLBM County San Juan
Coordinates 605,751 N 2,641,459 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 180 ft Depth to Water NA ft Depth of Water 0
Diameter 8 in Casing String Type Steel Length 20 ft
Depth to Top of Brushy Basin 70 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-4

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 606,517 N 2,640,519 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 232 ft Depth to Water NA ft Depth of Water 0
Diameter 8 in Casing String Type Steel Length 20 ft
Depth to Top of Brushy Basin 290 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-5

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 607,299 N 2,639,723 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 167 ft Depth to Water 163 ft Depth of Water 4 ft
Diameter 8 in Casing String Type Steel Length 20 ft
Depth to Top of Brushy Basin 170 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-8

Location: Section 22 Township 29S Range 24E SLBM County San Juan
Coordinates 606,968 N 2,641,080 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 209 ft Depth to Water NA ft Depth of Water 0
Diameter 8 in Casing String Type Steel Length 20 ft
Depth to Top of Brushy Basin 210 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-9

Location: Section 22 Township 29S Range 24E SLBM County San Juan
Coordinates 606,376 N 2,641,856 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 195 ft Depth to Water NA ft Depth of Water 0
Diameter 8 in Casing String Type Steel Length 20 ft
Depth to Top of Brushy Basin 220 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-12

Location: Section 22 Township 29S Range 24E SLBM County San Juan
Coordinates 605,903 N 2,642,610 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 224 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length Unknown ft
Depth to Top of Brushy Basin 205 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-13

Location: Section 28 Township 29S Range 24E SLBM County San Juan
Coordinates 605,625 N 2,640,412 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 224 ft Depth to Water NA ft Depth of Water 0
Diameter 8 in Casing String Type Steel Length Unknown ft
Depth to Top of Brushy Basin 220 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-14a

Location: Section 22 Township 29S Range 24E SLBM County San Juan
Coordinates 607,625 N 2,638,233 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 180 ft Depth to Water NA ft Depth of Water 0
Diameter 8 in Casing String Type Steel Length 20 ft
Depth to Top of Brushy Basin 70 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-15

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 608,340 N 2,640,764 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 1.5 ft Depth to Water NA ft Depth of Water 0
Diameter 8 in Casing String Type Steel Length Unknown ft
Depth to Top of Brushy Basin 180 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-19

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 606,532 N 2,639,808 E
Well Status Inactive
Wet/Dry (Circle) Wet
Depth to BOH 172 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length 20 ft
Depth to Top of Brushy Basin 180 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-20

Location: Section 27 Township 29S Range 24E SLBM County San Juan
Coordinates 603,757 N 2,644,451 E
Well Status Inactive
Wet/Dry (Circle) Wet
Depth to BOH 202 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length 20 ft
Depth to Top of Brushy Basin 200 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-21

Location: Section 27 Township 29S Range 24E SLBM County San Juan
Coordinates Unknown N Unknown E
Well Status Inactive
Wet/Dry (Circle) Wet
Depth to BOH 124 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length Unknown ft
Depth to Top of Brushy Basin NA ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-21a

Location: Section 27 Township 29S Range 24E SLBM County San Juan
Coordinates 602,383 N 2,643,355 E
Well Status Inactive
Wet/Dry (Circle) Wet
Depth to BOH 165 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length Unknown ft
Depth to Top of Brushy Basin 400 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-22

Location: Section 23 Township 29S Range 24E SLBM County San Juan
Coordinates 607,517 N 2,647,347 E
Well Status Inactive
Wet/Dry (Circle) Wet
Depth to BOH 165 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length Unknown ft
Depth to Top of Brushy Basin 210 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-23

Location: Section 22 Township 29S Range 24E SLBM County San Juan
Coordinates 607,800 N 2,645,000 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 253 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length Unknown ft
Depth to Top of Brushy Basin 340 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-24

Location: Section 22 Township 29S Range 24E SLBM County San Juan
Coordinates 609,871 N 2,642,720 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 174 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length Unknown ft
Depth to Top of Brushy Basin 290 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-25

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 606,826 N 2,638,341 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 114 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length 20 ft
Depth to Top of Brushy Basin 140 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-27

Location: Section 26 Township 29S Range 24E SLBM County San Juan
Coordinates 604,952 N 2,646,348 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 163 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length 20 ft
Depth to Top of Brushy Basin 190 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-29

Location: Section 26 Township 29S Range 24E SLBM County San Juan
Coordinates 604,403 N 2,648,007 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 260 ft Depth to Water 253 ft Depth of Water 7 ft
Diameter 8 in Casing String Type Steel Length Unknown ft
Depth to Top of Brushy Basin 280 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-30 RENAMED MW-3

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 609,600 N 2,636,909 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH _____ ft Depth to Water _____ ft Depth of Water _____ ft
 Diameter _____ in Casing String Type _____ Length _____ ft
 Depth to Top of Brushy Basin 160 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION H-31

Location: Section 22 Township 29S Range 24E SLBM County San Juan
 Coordinates 606,904 N 2,642,819 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 34 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 8 in Casing String Type Steel Length 30 ft
 Depth to Top of Brushy Basin 280 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION H-32

Location: Section 22 Township 29S Range 24E SLBM County San Juan
 Coordinates 606,275 N 2,641,141 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 281 ft Depth to Water 237 ft Depth of Water 44 ft
 Diameter 8 in Casing String Type Steel Length 20 ft
 Depth to Top of Brushy Basin 220 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION H-33

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 606,887 N 2,640,116 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 213 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 8 in Casing String Type Steel Length 20 ft
 Depth to Top of Brushy Basin 620 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION H-34

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 606,046 N 2,639,911 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 139 ft Depth to Water 130 ft Depth of Water 9 ft
 Diameter 8 in Casing String Type Steel Length 20 ft
 Depth to Top of Brushy Basin 150 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION H-35

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 606,248 N 2,639,304 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 132 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length Unknown ft
Depth to Top of Brushy Basin 300 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-37

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 607,444 N 2,639,167 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 111 ft Depth to Water Na ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length 20 ft
Depth to Top of Brushy Basin 130 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION OWH-38

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 607,790 N 2,639,920 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 144 ft Depth to Water 123 ft Depth of Water 21 ft
Diameter 2 in Casing String Type PVC Length Unknown ft
Depth to Top of Brushy Basin NA ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-40

Location: Section 22 Township 29S Range 24E SLBM County San Juan
Coordinates 606,755 N 2,641,567 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 212 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length 20 ft
Depth to Top of Brushy Basin 210 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-41

Location: Section 27 Township 29S Range 24E SLBM County San Juan
Coordinates 605,503 N 2,642,025 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 188 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length 20 ft
Depth to Top of Brushy Basin 240 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-42

Location: Section 27 Township 29S Range 24E SLBM County San Juan
 Coordinates 605,327 N 2,641,167 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 200 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 8 in Casing String Type Steel Length Unknown ft
 Depth to Top of Brushy Basin 250 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION H-46

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 608,266 N 2,639,913 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 120 ft Depth to Water 105 ft Depth of Water 15 ft
 Diameter 8 in Casing String Type Steel Length Unknown ft
 Depth to Top of Brushy Basin 140 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION OWH-48

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 609,565 N 2,638,583 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 184 ft Depth to Water 165 ft Depth of Water 23 ft
 Diameter 2 in Casing String Type PVC Length Unknown ft
 Depth to Top of Brushy Basin NA ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION H-49

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 607,157 N 2,637,740 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 116 ft Depth to Water 99 ft Depth of Water 17 ft
 Diameter 8 in Casing String Type Steel Length 40 ft
 Depth to Top of Brushy Basin 180 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION H-49a

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 607,193 N 2,637,756 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 111 ft Depth to Water 110.5 ft Depth of Water 0.5 ft
 Diameter 6 in Casing String Type PVC Length Unknown ft
 Depth to Top of Brushy Basin 180 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION H-50Location: Section 21 Township 29S Range 24E SLBM County San JuanCoordinates 606,822 q N 2,640,535 EWell Status InactiveWet/Dry (Circle)Depth to BOH 223 ft Depth to Water NA ft Depth of Water 0 ftDiameter 8 in Casing String Type Steel Length Unknown ftDepth to Top of Brushy Basin 230 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION H-51Location: Section 28 Township 29S Range 24E SLBM County San JuanCoordinates 605,307 N 2,639,766 EWell Status InactiveWet/Dry (Circle)Depth to BOH 145 ft Depth to Water NA ft Depth of Water 0 ftDiameter 8 in Casing String Type Steel Length 20 ftDepth to Top of Brushy Basin 170 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION H-54Location: Section 21 Township 29S Range 24E SLBM County San JuanCoordinates 609,510 N 2,637,417 EWell Status InactiveWet/Dry (Circle)Depth to BOH 137 ft Depth to Water 137 ft Depth of Water <1 ftDiameter 8 in Casing String Type Steel Length 40 ftDepth to Top of Brushy Basin 160 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION OWH-56aLocation: Section 21 Township 29S Range 24E SLBM County San JuanCoordinates NA N NA EWell Status InactiveWet/Dry (Circle)Depth to BOH 100.7 ft Depth to Water NA ft Depth of Water 0 ftDiameter 2 in Casing String Type PVC Length Unknown ftDepth to Top of Brushy Basin 100 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION OWH-56bLocation: Section 21 Township 29S Range 24E SLBM County San JuanCoordinates NA N NA EWell Status InactiveWet/Dry (Circle)Depth to BOH 102.5 ft Depth to Water 100.5 ft Depth of Water 2 ftDiameter 2 in Casing String Type PVC Length Unknown ftDepth to Top of Brushy Basin 100 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION OWH-56c

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates NA N NA E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 104.3 ft Depth to Water 100.4 ft Depth of Water 4 ft
Diameter 2 in Casing String Type PVC Length Unknown ft
Depth to Top of Brushy Basin 100 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-57

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 609,582 N 2,636,523 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 16.5 ft Depth to Water 5 ft Depth of Water 10 ft
Diameter 8 in Casing String Type Steel Length Unknown ft
Diameter 2 in Casing String Type PVC Length Unknown ft
Depth to Top of Brushy Basin 127 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-59

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 606,692 N 2,638,315 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 204 ft Depth to Water 115.76 ft Depth of Water 88 ft
Diameter 8 in Casing String Type Steel Length Unknown ft
Depth to Top of Brushy Basin 50 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-60

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 605,770 N 2,639,479 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 67 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length Unknown ft
Depth to Top of Brushy Basin 150 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-61

Location: Section 28 Township 29S Range 24E SLBM County San Juan
Coordinates 605,595 N 2,640,039 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 148 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length 40 ft
Depth to Top of Brushy Basin 170 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION H-62Location: Section 28 Township 29S Range 24E SLBM County San JuanCoordinates 604,832 N 2,640,130 EWell Status InactiveWet/Dry (Circle)Depth to BOH 198 ft Depth to Water 145 ft Depth of Water 53 ftDiameter 8 in Casing String Type Steel Length 40 ftDepth to Top of Brushy Basin 130 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION H-63Location: Section 21 Township 29S Range 24E SLBM County San JuanCoordinates 606,457 N 2,638,816 EWell Status InactiveWet/Dry (Circle)Depth to BOH 165 ft Depth to Water 134 ft Depth of Water 31 ftDiameter 8 in Casing String Type Steel Length Unknown ftDepth to Top of Brushy Basin 160 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION H-64Location: Section 21 Township 29S Range 24E SLBM County San JuanCoordinates 606,710 N 2,639,417 EWell Status InactiveWet/Dry (Circle)Depth to BOH 212 ft Depth to Water NA ft Depth of Water 0 ftDiameter 8 in Casing String Type Steel Length 40 ftDepth to Top of Brushy Basin 170 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION H-65Location: Section 21 Township 29S Range 24E SLBM County San JuanCoordinates 606,033 N 2,640,238 EWell Status InactiveWet/Dry (Circle)Depth to BOH 158 ft Depth to Water NA ft Depth of Water 0 ftDiameter 8 in Casing String Type Steel Length Unknown ftDepth to Top of Brushy Basin 190 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION H-66Location: Section 21 Township 29S Range 24E SLBM County San JuanCoordinates 607,336 N 2,638,777 EWell Status InactiveWet/Dry (Circle)Depth to BOH 161 ft Depth to Water NA ft Depth of Water 0 ftDiameter 8 in Casing String Type Steel Length 40 ftDepth to Top of Brushy Basin 180 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION OWH-71

Location: Section 20 Township 29S Range 24E SLBM County San Juan

Coordinates 609,561 N 2,635,209 E

Well Status Inactive

Wet/Dry (Circle)

Depth to BOH 143 ft Depth to Water 101 ft Depth of Water 42 ft

Diameter 2 in Casing String Type PVC Length Unknown ft

Depth to Top of Brushy Basin 160 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION H-75

Location: Section 27 Township 29S Range 24E SLBM County San Juan

Coordinates 603,739 N 2,641,482 E

Well Status Inactive

Wet/Dry (Circle)

Depth to BOH 115 ft Depth to Water NA ft Depth of Water 0 ft

Diameter 8 in Casing String Type Steel Length 20 ft

Depth to Top of Brushy Basin 125 ft

estimated Date of Plugging Operation _____

WELL DESIGNATION H-76

Location: Section 21 Township 29S Range 24E SLBM County San Juan

Coordinates 606,792 N 2,638,694 E

Well Status Inactive

Wet/Dry (Circle)

Depth to BOH 45 ft Depth to Water NA ft Depth of Water 0 ft

Diameter 8 in Casing String Type Steel Length 20 ft

Depth to Top of Brushy Basin 230 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION H-80

Location: Section 16 Township 29S Range 24E SLBM County San Juan

Coordinates 611,774 N 2,637,316 E

Well Status Inactive

Wet/Dry (Circle)

Depth to BOH 40 ft Depth to Water NA ft Depth of Water 0 ft

Diameter 8 in Casing String Type Steel Length 40 ft

Depth to Top of Brushy Basin 310 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION H-80a

Location: Section 16 Township 29S Range 24E SLBM County San Juan

Coordinates 611,774 N 2,637,316 E

Well Status Inactive

Wet/Dry (Circle)

Depth to BOH 40 ft Depth to Water NA ft Depth of Water 0ft

Diameter 12 in Casing String Type None Length NA ft

Depth to Top of Brushy Basin NA ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION H-81

Location: Section 16 Township 29S Range 24E SLBM County San Juan
Coordinates 611,871 N 2,638,978 E
Well Status Inactive
Wet/Dry (Circle) Wet
Depth to BOH 37 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length 30 ft
Depth to Top of Brushy Basin 340 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION RW-3

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 610,117 N 2,636,242 E
Well Status Inactive
Wet/Dry (Circle) Wet
Depth to BOH 90 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 6 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin 80 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION RW-4

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 610,199 N 2,635,995 E
Well Status Inactive
Wet/Dry (Circle) Wet
Depth to BOH 58 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 6 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin NA ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION RW-5

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 610,248 N 2,635,702 E
Well Status Inactive
Wet/Dry (Circle) Wet
Depth to BOH 62 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 6 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin 110 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION RW-6

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 610,853 N 2,636,135 E
Well Status Inactive
Wet/Dry (Circle) Wet
Depth to BOH 62 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 6 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin 110 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION RW-7

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 610,818 N 2,636,089 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 90 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 6 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin 110 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION RW-8

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 610,856 N 2,636,185 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 104 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 7 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin 120 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION RW-9

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 610,796 N 2,636,044 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 28 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 6 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin 110 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION RW-9a

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 610,789 N 2,636,025 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 43 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 7 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin 100 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION RW-10

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 610,873 N 2,636,227 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 114 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 6 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin 120 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION RW-11

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 610,778 N 2,635,994 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 97 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 6 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin 110 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION RW-12

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 610,894 N 2,636,278 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 47 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 6 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin 120 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION RW-13

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 610,734 N 2,635,904 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 89 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 7 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin 120 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION RW-14

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 610,920 N 2,636,319 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 14 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 6 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin 125 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION RW-15

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 610,692 N 2,635,815 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 84 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 6 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin 100 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION RW-17

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 610,202 N 2,635,943 E
Well Status Inactive
Wet/Dry (Circle) Dry
Depth to BOH 24 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 6 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin 60 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION GW-1

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 609,597 N 2,637,214 E
Well Status Inactive
Wet/Dry (Circle) Dry
Depth to BOH 138 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 6 in Casing String Type Steel Length 20 ft
Depth to Top of Brushy Basin 176 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION GW-2

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 609,533 N 2,637,359 E
Well Status Inactive
Wet/Dry (Circle) Dry
Depth to BOH 130 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 6 in Casing String Type Steel Length 10 ft
Depth to Top of Brushy Basin 157 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION GW-5

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 609,571 N 2,636,470 E
Well Status Inactive
Wet/Dry (Circle) Dry
Depth to BOH 64 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 6 in Casing String Type Steel Length Unknown
Diameter 2 in Casing String Type PVC Length Unknown
Depth to Top of Brushy Basin 89 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION GW-6a

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 609,580 N 2,636,580 E
Well Status Inactive
Wet/Dry (Circle) Dry
Depth to BOH 57 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type PVC Length 1
Depth to Top of Brushy Basin 90 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION GW-9

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 609,543 N 2,636,257 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 11.4 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 4 in Casing String Type PVC Length Unknown ft
 Diameter 2 in Casing String Type PVC Length 11.4 ft
 Depth to Top of Brushy Basin 103 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION GW-10

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 609,436 N 2,636,048 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 92 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 6 in Casing String Type None Length NA
 Depth to Top of Brushy Basin 100 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION GW-11

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 609,460 N 2,635,728 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 39 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 6 in Casing String Type None Length NA ft
 Depth to Top of Brushy Basin 55 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION GW-15

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 609,570 N 2,635,424 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 39 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 7 in Casing String Type None Length _____
 Depth to Top of Brushy Basin 47 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION GW-16

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 609,499 N 2,635,884 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 62 ft Depth to Water 56 ft Depth of Water 6 ft
 Diameter 6 in Casing String Type None Length NA ft
 Depth to Top of Brushy Basin 61 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION GW- 17

Location: Section 21 Township 29S Range 24E SLBM County San Juan

Coordinates 609,594 N 2,637,541 E

Well Status Inactive

Wet/Dry (Circle)

Depth to BOH 98 ft Depth to Water NA ft Depth of Water 0 ft

Diameter 6 in Casing String Type PVC Length 3 ft

Depth to Top of Brushy Basin 175 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION GW- 21

Location: Section 21 Township 29S Range 24E SLBM County San Juan

Coordinates 609,545 N 2,637,278 E

Well Status Inactive

Wet/Dry (Circle)

Depth to BOH 102 ft Depth to Water NA ft Depth of Water 0 ft

Diameter 6 in Casing String Type PVC Length 2 ft

Depth to Top of Brushy Basin 158 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION LT-4

Location: Section 21 Township 29S Range 24E SLBM County San Juan

Coordinates 609,155 N 2,637,245 E

Well Status Inactive

Wet/Dry (Circle)

Depth to BOH 87 ft Depth to Water NA ft Depth of Water 0 ft

Diameter 6 in Casing String Type None Length NA ft

Depth to Top of Brushy Basin 131 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION LT-16

Location: Section 21 Township 29S Range 24E SLBM County San Juan

Coordinates 607,716 N 2,638,056 E

Well Status Inactive

Wet/Dry (Circle)

Depth to BOH 84 ft Depth to Water NA ft Depth of Water 0 ft

Diameter 6 in Casing String Type PVC Length 1 ft

Depth to Top of Brushy Basin 80 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION LT-19

Location: Section 21 Township 29S Range 24E SLBM County San Juan

Coordinates 607,665 N 2,636,498 E

Well Status Inactive

Wet/Dry (Circle)

Depth to BOH 78 ft Depth to Water NA ft Depth of Water 0 ft

Diameter 6 in Casing String Type PVC Length 2 ft

Depth to Top of Brushy Basin 75 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION LT-20

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 607,416 N 2,636,207 E
 Well Status Inactive
 Wet/Dry (Circle) Wet
 Depth to BOH 113 ft Depth to Water 75 ft Depth of Water 43ft
 Diameter 6 in Casing String Type PVC Length 10 ft
 Depth to Top of Brushy Basin 81 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION LT-31

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 607,890 N 2,637,031 E
 Well Status Inactive
 Wet/Dry (Circle) Dry
 Depth to BOH 70 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 8 in Casing String Type None Length 0 ft
 Depth to Top of Brushy Basin NA ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION LT-32

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 607,879 N 2,637,029 E
 Well Status Inactive
 Wet/Dry (Circle) Dry
 Depth to BOH 76 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 8 in Casing String Type None Length NA ft
 Depth to Top of Brushy Basin NA ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION LT-33

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 607,869 N 2,637,030 E
 Well Status Inactive
 Wet/Dry (Circle) Dry
 Depth to BOH 5 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 5 in Casing String Type None Length 0 ft
 Depth to Top of Brushy Basin NA ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION LT-34

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 607,858 N 2,637,028 E
 Well Status Inactive
 Wet/Dry (Circle) Dry
 Depth to BOH 78 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 8 in Casing String Type None Length NA ft
 Depth to Top of Brushy Basin NA ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION LT-35

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 607,851 N 2,637,025 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 66 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type None Length 0 ft
Depth to Top of Brushy Basin NA ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION LT-39

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 607,419 N 2,638,030 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 111 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin NA ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION LT-41

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 607,348 N 2,638,366 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 155 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin NA ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION LT-42

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 607,443 N 2,638,181 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 69 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin NA ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION LT-43

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 607,668 N 2,637,388 E
Well Status Inactive
Wet/Dry (Circle)
Depth to BOH 93 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 6 in Casing String Type None Length NA ft
Depth to Top of Brushy Basin NA ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION UT-5

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 609,357 N 2,637,872 E
 Well Status Inactive
 Wet/Dry (Circle) Wet
 Depth to BOH 164 ft Depth to Water 103 ft Depth of Water 61 ft
 Diameter 6 in Casing String Type PVC Length 1 ft
 Depth to Top of Brushy Basin 139 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION UT-6

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 609,317 N 2,638,063 E
 Well Status Inactive
 Wet/Dry (Circle) Dry
 Depth to BOH 95 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 6 in Casing String Type PVC Length 2 ft
 Depth to Top of Brushy Basin 159 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION UT-9

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 609,246 N 2,637,935 E
 Well Status Inactive
 Wet/Dry (Circle) Dry
 Depth to BOH 51 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 6 in Casing String Type Steel Length 2 ft
 Depth to Top of Brushy Basin 134 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION FT-2

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 606,258 N 2,637,059 E
 Well Status Inactive
 Wet/Dry (Circle) Dry
 Depth to BOH 41 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 8 in Casing String Type None Length NA ft
 Depth to Top of Brushy Basin 146 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION FT-3

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 605,996 N 2,636,808 E
 Well Status Inactive
 Wet/Dry (Circle) Wet
 Depth to BOH 130 ft Depth to Water 106 ft Depth of Water 24 ft
 Diameter 6 in Casing String Type Steel Length Unknown ft
 Depth to Top of Brushy Basin NA ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION OWMW-1a

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 608,104 N 2,635,549 E
Well Status Inactive
Wet/Dry (Circle) Dry
Depth to BOH 80 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 2 in Casing String Type PVC Length Unknown ft
Depth to Top of Brushy Basin 80 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION OWMW-1b

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 608,092 N 2,635,550 E
Well Status Inactive
Wet/Dry (Circle) Dry
Depth to BOH 80 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 2 in Casing String Type PVC Length Unknown ft
Depth to Top of Brushy Basin 80 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION OWMW-1c

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 608,109 N 2,635,533 E
Well Status Inactive
Wet/Dry (Circle) Dry
Depth to BOH 80 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 2 in Casing String Type PVC Length Unknown ft
Depth to Top of Brushy Basin 80 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION OWMW-1d

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 608,100 N 2,635,524 E
Well Status Inactive
Wet/Dry (Circle) Dry
Depth to BOH 52 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 2 in Casing String Type PVC Length Unknown ft
Depth to Top of Brushy Basin 80 ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION MW-3

Location: Section 21 Township 29S Range 24E SLBM County San Juan
Coordinates 609,600 N 2,636,909 E
Well Status Inactive
Wet/Dry (Circle) Dry
Depth to BOH 107 ft Depth to Water NA ft Depth of Water 0 ft
Diameter 8 in Casing String Type Steel Length 40 ft
Depth to Top of Brushy Basin NA ft
Estimated Date of Plugging Operation _____

WELL DESIGNATION OWMW-3

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 609,608 N 2,636,915 E
 Well Status Inactive
 Wet/Dry (Circle) Wet
 Depth to BOH 162 ft Depth to Water 150 ft Depth of Water 12 ft
 Diameter 2 in Casing String Type PVC Length Unknown ft
 Depth to Top of Brushy Basin NA ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION OWMW-4

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 607,171 N 2,638,504 E
 Well Status Inactive
 Wet/Dry (Circle) Dry
 Depth to BOH 138 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 2 in Casing String Type PVC Length Unknown ft
 Depth to Top of Brushy Basin NA ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION MW-7a

Location: Section 21 Township 29S Range 24E SLBM County San Juan
 Coordinates 611,040 N 2,636,534 E
 Well Status Inactive
 Wet/Dry (Circle) Dry
 Depth to BOH 30 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 6 in Casing String Type None Length NA ft
 Depth to Top of Brushy Basin NA ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION DM80-5

Location: Section 20 Township 29S Range 24E SLBM County San Juan
 Coordinates 608,145 N 2,633,786 E
 Well Status Inactive
 Wet/Dry (Circle) Wet
 Depth to BOH 97 ft Depth to Water 73 ft Depth of Water 24 ft
 Diameter 4 in Casing String Type PVC Length 97 ft
 Depth to Top of Brushy Basin NA ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION RAMC-88-01

Location: Section 22 Township 29S Range 24E SLBM County San Juan
 Coordinates 606,230 N 2,644,310 E
 Well Status Inactive
 Wet/Dry (Circle) Dry
 Depth to BOH 222 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 8 in Casing String Type Steel Length 20 ft
 Depth to Top of Brushy Basin 290 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION RAMC-88-02

Location: Section 22 Township 29S Range 24E SLBM County San Juan
 Coordinates 605,990 N 2,644,135 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 266 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 8 in Casing String Type Steel Length 20 ft
 Depth to Top of Brushy Basin 280 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION RAMC-88-03

Location: Section 22 Township 29S Range 24E SLBM County San Juan
 Coordinates 606,445 N 2,643,900 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 287 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 8 in Casing String Type Steel Length 40 ft
 Depth to Top of Brushy Basin 250 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION RAMC-88-04

Location: Section 27 Township 29S Range 24E SLBM County San Juan
 Coordinates 605,610 N 2,644,605 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 307 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 8 in Casing String Type Steel Length Unknown ft
 Depth to Top of Brushy Basin 270 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION RAMC-88-05

Location: Section 27 Township 29S Range 24E SLBM County San Juan
 Coordinates 604,893 N 2,644,784 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 2 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter _____ in Casing String Type _____ Length _____ ft
 Depth to Top of Brushy Basin 280 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION RAMC-88-06

Location: Section 27 Township 29S Range 24E SLBM County San Juan
 Coordinates 605,550 N 2,643,875 E
 Well Status Inactive
 Wet/Dry (Circle)
 Depth to BOH 240 ft Depth to Water NA ft Depth of Water 0 ft
 Diameter 8 in Casing String Type Steel Length Unknown ft
 Depth to Top of Brushy Basin 260 ft
 Estimated Date of Plugging Operation _____

WELL DESIGNATION RAMC-88-08Location: Section 26 Township 29S Range 24E SLBM County San JuanCoordinates 604,670 N 2,646,070 EWell Status Inactive

Wet/Dry (Circle)

Depth to BOH 54 ft Depth to Water 52 ft Depth of Water 2 ftDiameter 8 in Casing String Type Steel Length Unknown ftDepth to Top of Brushy Basin 220 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION RAMC-88-11Location: Section 27 Township 29S Range 24E SLBM County San JuanCoordinates 604,035 N 2,641,598 EWell Status Inactive

Wet/Dry (Circle)

Depth to BOH 142 ft Depth to Water NA ft Depth of Water 0 ftDiameter 8 in Casing String Type Steel Length 40 ftDepth to Top of Brushy Basin 140 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION RAMC-88-12Location: Section 27 Township 29S Range 24E SLBM County San JuanCoordinates 603,655 N 2,642,141 EWell Status Inactive

Wet/Dry (Circle)

Depth to BOH 121 ft Depth to Water NA ft Depth of Water 0 ftDiameter 8 in Casing String Type Steel Length 40 ftDepth to Top of Brushy Basin 160 ft

Estimated Date of Plugging Operation _____

WELL DESIGNATION RAMC-88-13Location: Section 27 Township 29S Range 24E SLBM County San JuanCoordinates 604,312 N 2,641,775 EWell Status Inactive

Wet/Dry (Circle)

Depth to BOH 264 ft Depth to Water 251 ft Depth of Water 13 ftDiameter 8 in Casing String Type Steel Length 40 ftDepth to Top of Brushy Basin 220 ft

Estimated Date of Plugging Operation _____